

according to UK REACH Regulation

ORCON CLASSIC

Revision date: 07.03.2022 Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ORCON CLASSIC

UFI:

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesives, sealants

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name: MOLL bauökologische Produkte GmbH

proclima

Street: Rheintalstraße 35 - 43
Place: D-68723 Schwetzingen

Telephone: +49 (0) 6202 2782-0 Telefax: +49 (0) 6202 2782-21

e-mail: info@proclima.de
e-mail (Contact person): info@proclima.de
Internet: http://www.proclima.de
Responsible Department: info@proclima.de

1.4. Emergency telephone Emergency medical information in case of poisoning: Poison Information Centre

number: +49 551 19240 (24-hour advice in German or English)

Further Information

No information available.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

2.3. Other hazards

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to UK REACH Regulation

ORCON CLASSIC

Revision date: 07.03.2022 Page 2 of 13

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one			
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H302 H315 H318 H317 H400			
55965-84-9	reaction mass of 5-chloro-2-methyl-	2H-isothiazol-3-one and 2-methyl-2h	H-isothiazol-3-one (3:1)	< 0.1 %
	-	613-167-00-5	01-2120764691-48	
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Con	c. Limits, M-factors and ATE	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one	< 0.1 %
	dermal: LD5 M acute; H40	0 = > 2000 mg/kg; oral: LD50 = 670 mg/kg	
55965-84-9	-	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0.1 %
	= 660 mg/kg; 0,06 - < 0,6		

Further Information

No further relevant information available.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No special measures are necessary.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

In case of skin irritation, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.



according to UK REACH Regulation

ORCON CLASSIC

Revision date: 07.03.2022 Page 3 of 13

After ingestion

Rinse mouth thoroughly with water.

Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps.

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Dry extinguishing powder, Carbon dioxide (CO2), Water spray jet

In case of major fire and large quantities: Foam, Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Ammonia (NH3), Sulphur oxides, Carbon monoxide, Nitrogen oxides (NOx), Carbon dioxide (CO2).

5.3. Advice for firefighters

Special protective equipment for firefighters Protective clothing.

In case of fire: Wear self-contained breathing apparatus.

Remove persons to safety.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Dispose of waste according to applicable legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

See protective measures under point 7 and 8.

Wear personal protection equipment (refer to section 8).

Avoid contact with skin, eyes and clothes.

Provide adequate ventilation.

In case of inadequate ventilation wear respiratory protection.

For non-emergency personnel

Remove persons to safety.

For emergency responders

No data available

6.2. Environmental precautions

Do not allow to enter into soil/subsoil.

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Wipe up with absorbent material (eg. cloth, fleece).



according to UK REACH Regulation

ORCON CLASSIC

Revision date: 07.03.2022 Page 4 of 13

Handling larger quantities: Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Container should not be closed gas-tight.

For cleaning up

Wash with plenty of water. Clean with detergents. Avoid solvent cleaners.

Other information

Provide fresh air.

6.4. Reference to other sections

See protective measures under point 7 and 8.

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

See section 8. Wear personal protection equipment (refer to section 8).

Keep container tightly closed.

Clear spills immediately.

Avoid release to the environment.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Work in well-ventilated zones or use proper respiratory protection.

Only wear fitting, comfortable and clean protective clothing.

Avoid contact with skin, eyes and clothes.

Wash hands and face before breaks and after work and take a shower if necessary.

Use protective skin cream before handling the product.

When using do not eat, drink, smoke, sniff.

Further information on handling

Observe instructions for use.

Provide adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place.

Protect from sunlight.

Avoid: extreme temperatures

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agent, Acids

Further information on storage conditions

Keep away from:

Heat

Humidity

Frost

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection



according to UK REACH Regulation

ORCON CLASSIC

Revision date: 07.03.2022 Page 5 of 13

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL
7440-21-3	Silicon, respirable dust	-	4		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one			
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,966 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	d 2-methyl-2H-isothiazo	I-3-one (3:1)	
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³
Worker DNEL,	acute	inhalation	local	0,04 mg/m³
Consumer DN	EL, long-term	inhalation	local	0,02 mg/m³
Consumer DNEL, acute		inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		oral	systemic	0,09 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,11 mg/kg bw/day



according to UK REACH Regulation

ORCON CLASSIC

Revision date: 07.03.2022 Page 6 of 13

PNEC values

CAS No	Substance	
Environmental	Environmental compartment	
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater (in	ermittent releases)	0,0011 mg/l
Marine water		0,000403 mg/l
Freshwater se	diment	0,0499 mg/kg
Marine sedime	nt	0,00499 mg/kg
Micro-organisms in sewage treatment plants (STP)		1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	
Freshwater		0,00339 mg/l
Freshwater (in	ermittent releases)	0,00339 mg/l
Marine water		0,00339 mg/l
Freshwater se	diment	0,027 mg/kg
Marine sedime	nt	0,027 mg/kg
Micro-organisms in sewage treatment plants (STP) 0,23		0,23 mg/l
Soil		0,01 mg/kg

8.2. Exposure controls

Appropriate engineering controls

No special measures are necessary.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: Eye glasses EN 166

Hand protection

Tested protective gloves must be worn: EN ISO 374

Unsuitable material:Fabric, Leather articles

Suitable material: CR (polychloroprene, chloroprene rubber), Butyl caoutchouc (butyl rubber), NBR (Nitrile

rubber)

Thickness of the glove material >= 0,4 mm NBR (Nitrile rubber)

Wearing time with occasional contact (splashes): max. 480 min. (NBR (Nitrile rubber))

Wearing time with permanent contact 240 - 480 min (NBR (Nitrile rubber)) Breakthrough times and swelling properties of the material must be taken into consideration.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Wear cotton undermitten if possible.

Check leak tightness/impermeability prior to use.

Skin protection

Suitable protective clothing: Protective clothing

Respiratory protection

Usually no personal respirative protection necessary.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. (To follow: air limit values - silicon dioxide, amorphous, synthetic)



according to UK REACH Regulation

ORCON CLASSIC

Revision date: 07.03.2022 Page 7 of 13

Thermal hazards

not relevant

Environmental exposure controls

Provide for retaining containers, e.g. floor pan without outflow.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: yellow - light brown Odour: characteristic

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

~100 °C

boiling range:

Sublimation point:

Softening point:

No data available

No data available

Pour point:

No data available

No data available

Flash point:

No data available

Flammability

Solid/liquid: No data available
Gas: No data available

Explosive properties

No information available.

Lower explosion limits:

Upper explosion limits:

No data available

No data available

Auto-ignition temperature:

No data available

Self-ignition temperature

Solid: No data available
Gas: No data available
Decomposition temperature: No data available

pH-Value: 9

Viscosity / dynamic: 97.000- 150.000 mPa·s

(at 20 °C)

Viscosity / kinematic: 93.901–145.120 mm²/s

(at 20 °C)

Water solubility: No data available

(at 20 °C)

Solubility in other solvents

No information available.

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

No data available

(at 20 °C)

Density (at 20 °C): 1,0336 g/cm³
Relative vapour density: No data available



according to UK REACH Regulation

ORCON CLASSIC

Revision date: 07.03.2022 Page 8 of 13

9.2. Other information

Information with regard to physical hazard classes

Sustaining combustion: No data available

Oxidizing properties

No information available.

Other safety characteristics

Solvent content:

Solid content:

No data available

No data available

Evaporation rate:

No data available

Further Information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

@1002.B100143

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

extreme temperatures

10.5. Incompatible materials

Oxidizing agent, Acids

10.6. Hazardous decomposition products

Reference to other sections: 5

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

The product has not been tested.

Acute toxicity

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

ORCON CLASSIC

Revision date: 07.03.2022 Page 9 of 13

CAS No	Chemical name	Chemical name						
	Exposure route	Dose		Species	Source	Method		
2634-33-5	1,2-benzisothiazol-3(2H)	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one						
	oral	LD50 mg/kg	670	Rat	Study report (1988)	OECD Guideline 401		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1994)	OECD Guideline 402		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)							
	oral	LD50 mg/kg	457	Rat	Study report (1993)	- Principle of test: The test material w		
	dermal	LD50 mg/kg	660	Rabbit	Study report (1993)	- Principle of test: The undiluted test		
	inhalation vapour	ATE	0,5 mg/l					
	inhalation dust/mist	ATE	0,05 mg/l					

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Further information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Calculation method. Based on available data, the classification criteria are not met.



according to UK REACH Regulation

ORCON CLASSIC

Revision date: 07.03.2022 Page 10 of 13

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-	one, 1,2-benz	risothiazolin	-3-one			
	Acute fish toxicity	LC50 mg/l	ca. 16,7	96 h	Cyprinodon variegatus	REACh Registration Dossier	other:
	Acute algae toxicity	ErC50 mg/l	0,15	72 h	Pseudokirchneriella subcapitata	Study report (1994)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	2,94	48 h	Daphnia magna	Study report (1995)	OECD Guideline 202
	Algae toxicity	NOEC mg/l	0,0403	72 d			
	Acute bacteria toxicity	(EC50	13 mg/l)	3 h	activated sludge of a predominantly domestic sewag	REACh Registration Dossier	OECD Guideline 209
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	Acute fish toxicity	LC50 mg/l	0,19	96 h	Oncorhynchus mykiss	REACh Registration Dossier	EPA OPP 72-1
	Acute algae toxicity	ErC50 mg/l	0,0063	72 h	Skeletonema costatum	Study report (1995)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,18	48 h	Daphnia magna	REACh Registration Dossier	EPA OPP 72-2
	Fish toxicity	NOEC 0,0464 mg/	>=	35 d	Danio rerio	REACh Registration Dossier	OECD Guideline 210
	Crustacea toxicity	NOEC	0,1 mg/l	21 d	Daphnia magna	Study report (1991)	EPA OPP 72-4
	Acute bacteria toxicity	(EC50	4,5 mg/l)	3 h	activated sludge of a predominantly domestic sewag	Study report (1995)	OECD Guideline 209

12.2. Persistence and degradability

No further relevant information available.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation		-	
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one			
	OECD 303A Activated sludge S 978	>70%		
	OECD 302B Activated sludge S 3509	90%		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-r	nethyl-2H-isothiazol-3-one	(3:1)	
	Biodegradation	>60 %	28	
	Readily biodegradable (according to OECD criteria).		-	

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.



according to UK REACH Regulation

ORCON CLASSIC

Revision date: 07.03.2022 Page 11 of 13

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one	0,63
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	0,326

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one	ca. 6,62	Lepomis macrochirus	REACh Registration D
	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	ca. 54	Lepomis macrochirus	Study report (1996)

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Germany: water hazard class 1

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Non hazardous waste according to Directive 2008/98/EC (waste framework directive).

List of Wastes Code - residues/unused products

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants other than those mentioned in 08 04 09

Contaminated packaging

Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.



according to UK REACH Regulation

ORCON CLASSIC

Revision date: 07.03.2022 Page 12 of 13

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

No information available.

Other applicable information

No information available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

2004/42/EC (VOC): 1,55 % (16,023 g/l)

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Classification according to Regulation (EC) No 1272/2008 [CLP]

DIRECTIVE (EU) 2018/851 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCILof 30 May

2018amending Directive 2008/98/EC on waste

DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008

on waste and repealing certain Directives

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

Additional information

Germany:

Ordinance on systems for handling water-polluting substances (AwSV)

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

SECTION 16: Other information



according to UK REACH Regulation

ORCON CLASSIC

Revision date: 07.03.2022 Page 13 of 13

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,5,6,7,8,9,10,11,12,14,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID:Règlement international conernat le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Refulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures,

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

EC50: Effectice concentration, 50 percent

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Relevant H and EUH statements (number and full text)

11301	TOXIC II SWAIIOWEG.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Toxic if swallowed

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

Further Information

⊔2∩1

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)